TIFICATION	
Shell Corena S4 R 68	
001D7787	
ails	
Shell Eastern Petroleum (Pte) Ltd (196000089G) The Metropolis Tower 1, 9 North Buona Vista Drive, #07-01 Singapore 138588 Singapore	
(+65) 62632049	
+65 6263 2975	
	001D7787 <b>Tails</b> Shell Eastern Petroleum (Pte) Ltd (196000089G) The Metropolis Tower 1, 9 North Buona Vista Drive, #07-01 Singapore 138588

Recommended use

: Compressor oil.

## 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	: Prevention: No precautionary phrases. Response: No precautionary phrases. Storage: No precautionary phrases.

## Shell Corena S4 R 68

Version 1.3	Revision Date 27.05.2016	Print Date 28.05.2016
	<b>Disposal:</b> No precautionary phrases.	
	No precautoriary prirases.	

Sensitising components : Contains dialkyl thiophosphate ester.May produce an allergic reaction.

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature

: Blend of polyolefins and additives.

Hazardous components

	15		
Chemical name	CAS-No.	Classification	Concentration
			[%]
Alkaryl amine	68411-46-1	Aquatic Chronic3;	1 - 3
		H412	
Dialkyl thiophosphate	268567-32-4	Skin Sens.1B; H317	0.1 - 0.9
ester		Eye Dam.1; H318	
		Aquatic Chronic3;	
		H412	

For explanation of abbreviations see section 16.

#### 4. FIRST-AID MEASURES

General advice	: Not expected to be a health hazard when used under norm conditions.	nal
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.	
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.	
In case of eye contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.	
If swallowed	: In general no treatment is necessary unless large quantitie are swallowed, however, get medical advice.	s
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symptoms may include forma of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.	
Protection of first-aiders	: When administering first aid, ensure that you are wearing t	the

## Shell Corena S4 R 68

Version 1.3	Revision Date 27.05.2016 Print Date 28.05.	
	appropriate personal protective equipment according to th incident, injury and surroundings.	le
Notes to physician	: Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.	
Unsuitable extinguishing media	: Do not use water in a jet.	
Specific hazards during firefighting	<ul> <li>Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates gases (smoke). Carbon monoxide may be evolved if incomplete combustic occurs. Unidentified organic and inorganic compounds.</li> </ul>	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated large contact with spilled product is expected. Self-Contain Breathing Apparatus must be worn when approaching a fil a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).	ned ire in

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

Version 1.3	Revisior	Date 27.05.2016	Print Date 28.05.2016
Additional advice	see Char For guida	<ul> <li>For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet.</li> <li>For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.</li> </ul>	
7. HANDLING AND STORAGE			
General Precautions	vapours, Use the i assessm	mists or aerosols. nformation in this data sl ent of local circumstance ate controls for safe hand	
Advice on safe handling	Avoid inh When ha worn and Properly	blonged or repeated cont aling vapour and/or mist ndling product in drums, proper handling equipm dispose of any contamin in order to prevent fires	s. safety footwear should be nent should be used. ated rags or cleaning
Avoidance of contact	: Strong ox	kidising agents.	
Product Transfer	Proper g	erial has the potential to rounding and bonding pr bulk transfer operations	ocedures should be used
Storage			
Other data	place.	ntainer tightly closed and erly labeled and closable	in a cool, well-ventilated e containers.
	Store at a	ambient temperature.	
Packaging material	steel or h	material: For containers igh density polyethylene le material: PVC.	or container linings, use mild e.
Container Advice		ene containers should n ures because of possible	

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## Components with workplace control parameters

#### **Biological occupational exposure limits**

No biological limit allocated.

#### Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general

sion 1.3	Revision Date 27.05.2016	Print Date 28.05.20
	confirm compliance with an OEL and s biological monitoring may also be a	adequacy of exposure
	nent methods should be applied by a	
samples analysed by an accre	edited laboratory.	
	nmended exposure measurement met	hods are given below or
	national methods may be available. Sonal Safety and Health (NIOSH), USA	Manual of Analytical Meth
http://www.cdc.gov/niosh/		. Manual of Analytical Meth
	Ith Administration (OSHA), USA: Sam	pling and Analytical Methor
http://www.osha.gov/ Health and Safety Executive (	(HSE), UK: Methods for the Determina	tion of Hazardous Substar
http://www.hse.gov.uk/		
Institut für Arbeitsschutz Deut	schen Gesetzlichen Unfallversicherun	g (IFA) , Germany
http://www.dguv.de/inhalt/inde		://www.ipro.fr/ocoucil
L'Institut National de Récherci	he et de Securité, (INRS), France http	.//www.inrs.ir/accueii
Engineering measures	: The level of protection and types	
	vary depending upon potential ex controls based on a risk assessm	
	Appropriate measures include:	
	Adequate ventilation to control ai	rborne concentrations.
	Where material is heated, spraye	ed or mist formed, there is
	greater potential for airborne con	
	General Information:	
	Define procedures for safe handl controls.	ing and maintenance of
	Educate and train workers in the	hazards and control
	measures relevant to normal acti	vities associated with this
	product. Ensure appropriate selection, tes	ting and maintenance of
	equipment used to control expos	
	equipment, local exhaust ventilat	
	Drain down system prior to equip maintenance.	ment break-in or
	Retain drain downs in sealed sto	rage pending disposal or
	subsequent recycle.	
	Always observe good personal h washing hands after handling the	
	drinking, and/or smoking. Routin	
	protective equipment to remove of	contaminants. Discard
	contaminated clothing and footwo Practice good housekeeping.	ear that cannot be cleaned
Personal protective equipm	ent	
Protective measures		
FIDIECTIVE measures		

Respiratory protection	: No respiratory protection is ordinarily required under normal conditions of use.
	In accordance with good industrial hygiene practices,

ersion 1.3	Revision Date 27.05.2016 Print Date 28.05.2016
	precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours [Type A/Type P boiling point >65°C (149°F)].
Hand protection	
Remarks	: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye protection	: If material is handled such that it could be splashed into eyes, protective eyewear is recommended.
Skin and body protection	<ul> <li>Skin protection is not ordinarily required beyond standard work clothes.</li> <li>It is good practice to wear chemical resistant gloves.</li> </ul>
Thermal hazards	: Not applicable
Environmental exposure c	controls
General advice	: Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be

Version 1.3	Revision Date 27.05.2016	Print Date 28.05.2016
	treated in a municipal or industrial before discharge to surface water. Local guidelines on emission limits must be observed for the discharg vapour.	s for volatile substances

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid at room temperature.
Colour Odour Odour Threshold pH pour point	<ul> <li>light brown</li> <li>Slight hydrocarbon</li> <li>Data not available</li> <li>Not applicable</li> <li>-45 °C / -49 °FMethod: ASTM D97</li> </ul>
Initial boiling point and boiling range	
Flash point	: 248 °C / 478 °F Method: ASTM D92
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)
Relative vapour density	: > 1estimated value(s)
Relative density	: 0.848 (15 °C / 59 °F)
Density	: 848 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D1298
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: Data not available
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on similar products)
Auto-ignition temperature	: > 320 °C / 608 °F

Viscosity

# Shell Corena S4 R 68

ersion 1.3	Revision Date 27.05.2016 Print Date 2	28.05.2016
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 68 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	
	10.2 mm2/s (100 °C / 212 °F) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be a static accumula	ator.
	: Data not available	

Reactivity	: The product does not pose any further reactivity hazards addition to those listed in the following sub-paragraph.	in
Chemical stability	: Stable.	
Possibility of hazardous reactions	: Reacts with strong oxidising agents.	
Conditions to avoid	: Extremes of temperature and direct sunlight.	
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: Hazardous decomposition products are not expected to for during normal storage.	orm

## **11. TOXICOLOGICAL INFORMATION**

	Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
	Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Αсι	ute toxicity		
	Product:		
	Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:

## Shell Corena S4 R 68

Version 1.3	Revision Date 27.05.2016	Print Date 28.05.2016
Acute inhalation toxicity	: Remarks: Not considered to be an normal conditions of use.	inhalation hazard under
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low to	oxicity:

#### Skin corrosion/irritation

#### Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Expected to be slightly irritating.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not expected to be a skin sensitiser.

#### **Components:**

#### Dialkyl thiophosphate ester:

Remarks: May cause an allergic skin reaction in sensitive individuals.

:

#### Germ cell mutagenicity

#### Product:

: Remarks: Not considered a mutagenic hazard.

#### Carcinogenicity

#### Product:

Remarks: Not expected to be carcinogenic.

Material	GHS/CLP Carcinogenicity Classification	
Alkaryl amine	No carcinogenicity classification.	
Dialkyl thiophosphate ester	No carcinogenicity classification.	

#### **Reproductive toxicity**

#### Product:

 Version 1.3
 Revision Date 27.05.2016
 Print Date 28.05.2016

 Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.
 Not expected to be a developmental toxicant.

#### STOT - single exposure

#### Product:

Remarks: Not expected to be a hazard.

#### STOT - repeated exposure

#### Product:

Remarks: Not expected to be a hazard.

#### Aspiration toxicity

#### Product:

Not considered an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

#### 12. ECOLOGICAL INFORMATION

Basis for assessment :	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity	
Product:	
Toxicity to fish (Acute : toxicity)	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute : toxicity)	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l

	Print Date 28.05.2016
: Remarks: Expected to be praction LL/EL/IL50 > 100 mg/l	cally non toxic:
: Remarks: Data not available	
: Remarks: Data not available	
: Remarks: Data not available	
constituents are expected to be	inherently biodegradable, but
: Remarks: Contains components bioaccumulate.	with the potential to
: Pow: > 6Remarks: (based on int	formation on similar products)
expected to be released to air in Not expected to have ozone dep	any significant quantities., pletion potential, otential or global warming
	<ul> <li>Remarks: Data not available</li> <li>Remarks: Data not available</li> <li>Remarks: Data not available</li> <li>Remarks: Data not available</li> <li>Remarks: Expected to be not reconstituents are expected to be contains components that may particle.</li> <li>Remarks: Contains components bioaccumulate.</li> <li>Pow: &gt; 6Remarks: (based on interpreters soil, it will adsorb to soil particle. Remarks: Floats on water.</li> <li>Product is a mixture of non-volate expected to be released to air in Not expected to have ozone dep photochemical ozone creation particle.</li> </ul>

Waste from residues	: Waste product should not be allowed to contaminate soil or
	ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
	Waste, spins of used product is dangerous waste.

Version 1.3	Revision Date 27.05.2016	Print Date 28.05.2016
	Disposal should be in accordance national, and local laws and regula Local regulations may be more str national requirements and must be	ations. ingent than regional or
Contaminated packaging	: Dispose in accordance with prevai to a recognized collector or contra the collector or contractor should b Disposal should be in accordance national, and local laws and regula	ctor. The competence of one established beforehand. with applicable regional,

## **14. TRANSPORT INFORMATION**

## International Regulation

#### ADR

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category Ship type Product name Special precautions	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Special precautions for user	
Remarks	: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
Additional Information	: MARPOL Annex 1 rules apply for bulk shipments by sea.

#### **15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Local Regulations**

Workplace Safety and Health Act & Workplace Safety and Health (General Provision) Regulations	This product is not subject to the requirements in the Act/Regulations.
---	---

Fire Safety Act and Fire Safety (Petroleum & T	This product is not subject to the requirements
Flammable Materials) Regulations in	n the Act/Regulations.

Version 1.3	Revision Date	e 27.05.2016	Print Date 28.05.2016	
Maritime and Port Authori (Dangerous Goods, Petro Regulations	, ,	This product is not subject to the requirements in the Act/Regulations.		
and Environmental Protect	Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations		ot subject to control under this	
Other international regu	lations			
The components of this product are reported in the following inventories:				
EINECS TSCA	<ul><li>All components listed or polymer exempt.</li><li>All components listed.</li></ul>			
16. OTHER INFORMATION				
Full text of H-Statements				
	May cause an allergic s Causes serious eye dar			

#### H412 Harmful to aquatic life with long lasting effects. **Full text of other abbreviations**

Aquatic Chronic Eye Dam. Skin Sens.	Serious	aquatic toxicity eye damage nsitisation
Abbreviations and Acron	yms :	The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
Further information		
Other information	:	A vertical bar ( ) in the left margin indicates an amendment from the previous version.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.